

S/N 09/599,810

Response to Office Action Dated 12/22/2004

**Listing of Claims**

Please amend claims to the present application as set forth below. A detailed listing of all claims has been provided. A status identifier is provided for each claim in a parenthetical expression following each claim number.

A review of the claims indicates that:

- A) Claims 1—80 were originally filed.
- B) Claim 11 was previously canceled.
- C) Claims 39—49, 52—63, 65—67 and 70—80 were previously withdrawn.
- D) Claims 1, 5, 8, 23, 32, 64 were previously presented.
- E) Claims 3, 6—7, 9—10, 12—13, 15, 18—22, 24—31, 33—38, 50—51 and 68—69 remain in their original form.
- F) Claims 2, 4, 8, 14 and 17 were amended.
- G) No claims were newly added.
- H) Claims 9, 16 are currently cancelled.
- I) Accordingly, claims 1—10, 12—38, 50—51, 64 and 68—69 are currently pending.

The Applicant respectfully requests reconsideration of the subject application.

S/N 09/599,810

Response to Office Action Dated 12/22/2004

1. (Previously presented.) A method comprising:
  - presenting a word processing table within a document;
  - presenting a free floating field configured for insertion into the document;
  - exhibiting spreadsheet features together with the word processing table when a user is editing the word processing table; and
  - enabling a user to reference a cell in the word processing table when entering a formula into the free floating field.
2. (Currently amended.) A method, comprising:
  - presenting a word processing table and a free floating field within a document;
  - exhibiting spreadsheet features together with the word processing table when a user is editing the word processing table; and
  - wherein the document is a markup document, and the presenting comprises rendering the markup document.
3. (Original.) The method of claim 1, wherein the word processing table has rows and columns, and the exhibiting comprises depicting row headers for the rows and column headers for the columns.

S/N 09/599,810

Response to Office Action Dated 12/22/2004

- 1 4. (Currently amended.) A method, comprising:  
2 presenting a word processing table and a free floating field within a  
3 document;  
4 exhibiting spreadsheet features together with the word processing table  
5 when a user is editing the word processing table; and  
6 wherein the word processing table has rows and columns, and the  
7 exhibiting comprises depicting a row addition control for adding one or  
8 more rows to the word processing table and a column addition control for  
9 adding one or more columns to the word processing table.  
10
- 11 5. (Previously presented.) A method, comprising:  
12 presenting a word processing table within a document;  
13 exhibiting spreadsheet features together with the word processing table  
14 when a user is editing the word processing table;  
15 determining, upon selection of a cell in the word processing table, a type of  
16 contents in the cell; and  
17 interpreting user entry based upon the type of contents in the cell.  
18
- 19 6. (Original.) The method of claim 5, wherein the determining comprises:  
20 evaluating whether the type of contents is a formula or non-text data;  
21 if the type of contents is a formula or non-text data, interpreting the user  
22 entry as applicable to spreadsheet functions; and  
23 if the type of contents is not a formula or non-text data, interpreting the user  
24 entry as applicable to word processing functions.  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

- 1  
2 7. (Original.) The method of claim 5, wherein the determining comprises:  
3 evaluating whether the type of contents is a formula;  
4 if the type of contents is a formula, highlighting all of the formula and  
5 allowing editing in a formula edit box; and  
6 if the type of contents is not a formula, placing a cursor in the cell.  
7
- 8 8. (Currently amended.) A method, comprising:  
9 presenting a word processing table within a document;  
10 exhibiting spreadsheet features together with the word processing table  
11 when a user is editing the word processing table; and  
12 wherein the word processing table has multiple cells, the method further  
13 comprising overlaying a formula edit box on a particular cell in the  
14 table to facilitate user entry of a formula into the particular cell;  
15 and  
16 resizing the formula edit box as the user enters the formula, while  
17 maintaining the particular cell and table as a whole at a constant size.  
18
- 19 9. (Cancelled.)  
20
- 21 10. (Original.) The method of claim 1, further comprising:  
22 presenting multiple word processing tables; and  
23 enabling a user to reference a cell in a first word processing table when  
24 entering a formula in a cell in a second word processing table.  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

1  
2 11. (Cancelled.)  
3

4 12. (Original.) The method of claim 1, further comprising:  
5 modifying a value in a cell of the word processing table; and  
6 upon modification, automatically recalculating any formula in the word  
7 processing table that is affected by the modification.  
8

9 13. (Original.) A computer readable medium having computer-executable  
10 instructions that, when executed on one or more processors, perform the  
11 method as recited in claim 1.  
12

13 14. (Currently amended.) A method comprising:  
14 presenting a word processing table, the table having multiple cells; ~~and~~  
15 overlaying a formula edit box on a particular cell in the table to facilitate  
16 user entry of a formula into the particular ~~cell~~ cell; and  
17 resizing the formula edit box as the user enters the formula.  
18

19 15. (Original.) The method of claim 14, wherein the formula edit box initially  
20 defaults to a size and shape of the particular cell in the table.  
21

22 16. (Cancelled.)  
23  
24  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

1 17. (Currently amended.) The method of claim 14, further comprising ~~resizing~~  
2 ~~the formula edit box as the user enters the formula, while maintaining the~~  
3 ~~particular cell and table at a constant size~~ as the formula edit box is resized.

4  
5 18. (Original.) The method of claim 14, further comprising extending the  
6 formula edit box horizontally and subsequently enlarging the formula edit  
7 box vertically as the user enters the formula.

8  
9 19. (Original.) The method of claim 14, further comprising enabling a user to  
10 reference another cell in the table to add a reference to the formula.

11  
12 20. (Original.) The method of claim 14, further comprising:  
13 presenting multiple tables; and  
14 enabling a user to reference a cell in another table to add a variant to the  
15 formula.

16  
17 21. (Original.) The method of claim 14, further comprising:  
18 presenting a free floating field; and  
19 enabling a user to reference the free floating field to add a variant to the  
20 formula.

21  
22 22. (Original.) A computer readable medium having computer-executable  
23 instructions that, when executed on one or more processors, perform the  
24 method as recited in claim 14.  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

- 1  
2 23. (Previously presented.) A method comprising:  
3 presenting first and second tables, the first table having a first cell with  
4 contents; and  
5 enabling a user to reference the first cell in the first table when entering a  
6 formula in a second cell in the second table, wherein the entering  
7 comprises receiving the formula within a formula edit box  
8 overlaying the second table.  
9
- 10 24. (Original.) The method of claim 23, wherein the first and second tables  
11 resemble a spreadsheet when being edited.  
12
- 13 25. (Original.) The method of claim 23, wherein the first and second tables  
14 reside in separate documents.  
15
- 16 26. (Original.) The method of claim 23, wherein the enabling comprises  
17 facilitating user selection of the first cell using a pointer to reference the  
18 first cell.  
19
- 20 27. (Original.) The method of claim 23, further comprising overlaying a  
21 formula edit box on the second cell in the second table to facilitate user  
22 entry of the formula into the second cell.  
23  
24  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

1 28. (Original.) The method of claim 23, further comprising nesting the first  
2 table within a cell in the second table.

3  
4 29. (Original.) The method of claim 23, further comprising, upon modification  
5 of the contents in the first cell of the first table, automatically recalculating  
6 the formula in the second cell of the second table.

7  
8 30. (Original.) The method of claim 23, further comprising:  
9 presenting a free floating field; and  
10 enabling a user to reference a cell in one of the first and second tables.

11  
12 31. (Original.) A computer readable medium having computer-executable  
13 instructions that, when executed on one or more processors, perform the  
14 method as recited in claim 23.

15  
16 32. (Previously presented.) A method comprising:  
17 presenting first and second tables; and  
18 constructing a formula in the second table that references contents in the  
19 first table by overlaying a formula edit box on the second table to  
20 facilitate user entry of the formula.

21  
22 33. (Original.) The method of claim 32, wherein the first and second tables are  
23 within a common document.  
24  
25



S/N 09/599,810

Response to Office Action Dated 12/22/2004

1 34. (Original.) The method of claim 32, further comprising nesting the first  
2 table within a cell in the second table.

3  
4 35. (Original.) The method of claim 32, further comprising, upon modification  
5 of the contents in the first table, automatically recalculating the formula in  
6 the second table.

7  
8 36. (Original.) The method of claim 32, further comprising facilitating user  
9 selection of a cell in the first table using a pointer to create a variant in the  
10 formula.

11  
12 37. (Original.) The method of claim 32, further comprising:  
13 presenting a free floating field; and  
14 constructing a formula in the free floating field that references contents in  
15 one of the first and second tables.

16  
17 38. (Original.) A computer readable medium having computer-executable  
18 instructions that, when executed on one or more processors, perform the  
19 method as recited in claim 32.

20  
21 39. (Withdrawn.) A method comprising:  
22 presenting first and second spreadsheet tables, the spreadsheet tables  
23 supporting spreadsheet functionality; and  
24 nesting the first table within the second table.  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

- 1  
2 40. (Withdrawn.) The method of claim 39, further comprising constructing a  
3 formula in the second table that references contents in the first table.  
4  
5 41. (Withdrawn.) The method of claim 40, further comprising, upon  
6 modification of the contents in the first table, automatically recalculating  
7 the formula in the second table.  
8  
9 42. (Withdrawn.) A computer readable medium having computer-executable  
10 instructions that, when executed on one or more processors, perform the  
11 method as recited in claim 39.  
12  
13 43. (Withdrawn.) A method comprising:  
14 presenting a table user interface (UI), the table UI resembling a table when  
15 not being edited and adding spreadsheet elements to the table when  
16 being edited;  
17 enabling a user to enter data and one or more formulas into the table UI;  
18 and  
19 upon modification of the data or one or more formulas in the table,  
20 automatically recalculating any of the one or more formulas affected  
21 by the modification and presenting the table UI with results from the  
22 recalculating.  
23  
24  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

1 44. (Withdrawn.) The method of claim 43, wherein the presenting comprises  
2 rendering the table UI as an HTML table.

3  
4 45. (Withdrawn.) The method of claim 43, further comprising overlaying a  
5 formula edit box on the table UI to facilitate user entry of a formula into the  
6 table UI.

7  
8 46. (Withdrawn.) The method of claim 43, further comprising:  
9 presenting a free floating field user interface (UI); and  
10 enabling a user to enter a formula into the free floating field UI that  
11 references contents of the table UI.

12  
13 47. (Withdrawn.) The method of claim 46, further comprising upon  
14 modification of the contents of the table, automatically recalculating the  
15 formula in the free floating field UI.

16  
17 48. (Withdrawn.) The method of claim 43, wherein the table UI is a first table  
18 UI, and further comprising:  
19 copying the first table UI and pasting to form a second table UI; and  
20 automatically updating the formulas in the first and second table UI to  
21 make appropriate references.

22  
23  
24  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

1 49. (Withdrawn.) A computer readable medium having computer-executable  
2 instructions that, when executed on one or more processors, perform the  
3 method as recited in claim 43.

4  
5 50. (Original.) A method comprising:  
6 displaying a document with both text and a spreadsheet table, the  
7 spreadsheet table resembling a word processing table in appearance  
8 and supporting spreadsheet functionality; and  
9 enabling a user to format the text according to a particular format; and  
10 formatting cells in the spreadsheet table according to the particular format.

11  
12 51. (Original.) A computer readable medium having computer-executable  
13 instructions that, when executed on one or more processors, perform the  
14 method as recited in claim 50.

15  
16 52. (Withdrawn.) A method comprising:  
17 displaying a document with both text and a spreadsheet table, the  
18 spreadsheet table resembling a word processing table in appearance  
19 and supporting spreadsheet functionality; and  
20 enabling a user to evaluate the text and the spreadsheet table for possible  
21 spelling or grammatical errors via actuation of a single control.  
22  
23  
24  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

- 1 53. (Withdrawn.) A computer readable medium having computer-executable  
2 instructions that, when executed on one or more processors, perform the  
3 method as recited in claim 52.  
4
- 5 54. (Withdrawn.) A method comprising:  
6 displaying a document with both text and a spreadsheet table, the  
7 spreadsheet table resembling a word processing table in appearance  
8 and supporting spreadsheet functionality; and  
9 enabling a user to select a control function to modify or evaluate an aspect  
10 of the document; and  
11 applying the control function across both the text and the spreadsheet table.  
12
- 13 55. (Withdrawn.) The method of claim 54, wherein the control function is  
14 selected from a group of functions including formatting, spell checking,  
15 grammar checking, find, find and replace, auto-correct, applying document  
16 themes, inserting lists, images, drawings, charts, hyperlinks, automatic  
17 detection of hyperlinks, and list autodetection.  
18
- 19 56. (Withdrawn.) The method of claim 54, wherein the control function is any  
20 text feature that can be applied to the text and the applying comprises  
21 applying that text feature to the spreadsheet table.  
22  
23  
24  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

1 57. (Withdrawn.) A computer readable medium having computer-executable  
2 instructions that, when executed on one or more processors, perform the  
3 method as recited in claim 54.

4  
5 58. (Withdrawn.) A user interface comprising:  
6 a table residing within a document, the table having multiple cells; and  
7 a formula edit box overlaid on a particular cell in the table to facilitate user  
8 entry of a formula into the particular cell.

9  
10 59. (Withdrawn.) The user interface of claim 58, wherein the cells are arranged  
11 in rows and columns, and the table has row headers to identify the rows of  
12 cells and column headers to identify the columns of cells.

13  
14 60. (Withdrawn.) The user interface of claim 58, wherein the cells are  
15 arranged in rows and columns, and the table has a row addition control for  
16 adding one or more rows to the table and a column addition control for  
17 adding one or more columns to the table.

18  
19 61. (Withdrawn.) The user interface of claim 58, wherein the formula edit box  
20 initially defaults to a size and shape of the particular cell in the table.

21  
22 62. (Withdrawn.) The user interface of claim 58, wherein the formula edit box  
23 dynamically resizes as the user enters the formula.  
24  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

- 1 63. (Withdrawn.) The user interface of claim 58, wherein the formula edit box  
2 extends horizontally and subsequently enlarges vertically as the user enters  
3 the formula.  
4
- 5 64. (Previously presented.) The method of claim 1, additionally comprising:  
6 facilitating addition of one or more rows to the word processing table by  
7 operation of a row addition control adjacent a lowermost row in the  
8 table; and  
9 facilitating addition of one or more columns to the word processing table by  
10 operation of a column addition control adjacent an outermost column  
11 in the table.  
12
- 13 65. (Withdrawn.) A user interface comprising:  
14 multiple tables, each table having multiple cells; and  
15 an entry tool to facilitate entry of a formula in a first table that references  
16 contents in a second table.  
17
- 18 66. (Withdrawn.) The user interface of claim 65, wherein the entry tool  
19 comprises a formula edit box overlaid on a particular cell in the first table  
20 to facilitate user entry of the formula into the particular cell.  
21
- 22 67. (Withdrawn.) The user interface of claim 65, wherein the entry tool  
23 comprises referencing a particular cell in the second table using a pointer  
24 and adding a variable to the formula that references the particular cell.  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

1  
2 68. (Original.) A user interface comprising:  
3 a first spreadsheet table supporting spreadsheet functionality and having  
4 multiple cells; and  
5 a second spreadsheet table nested within a cell of the first table.

6  
7 69. (Original.) The user interface of claim 68, wherein one of the first and  
8 second tables contains a formula referencing contents of the other of the  
9 first and second tables.

10  
11 70. (Withdrawn.) An architecture comprising:  
12 a user interface to present at least one table;  
13 a table appearance manager to manage how a table appears in the user  
14 interface such that the table resembles a table when not being edited  
15 and adds spreadsheet elements to the table when being edited; and  
16 a spreadsheet functionality manager to manage spreadsheet functions for  
17 the table.

18  
19 71. (Withdrawn.) The architecture of claim 70, wherein the user interface  
20 overlays a formula edit box on a particular cell in the table to facilitate user  
21 entry of a formula into the particular cell.



S/N 09/599,810

Response to Office Action Dated 12/22/2004

1 72. (Withdrawn.) The architecture of claim 70, wherein the table appearance  
2 manager comprises:

3 a table component to support editing functionality of the table; and  
4 a spreadsheet component to receive data and formulas input into the table.  
5

6 73. (Withdrawn.) The architecture of claim 70, wherein the spreadsheet  
7 functionality manager comprises:

8 a cell table to maintain data values and formulas used in the table; and  
9 a format table to maintain formatting information used in the table.  
10

11 74. (Withdrawn.) The architecture of claim 70, wherein the spreadsheet  
12 functionality manager comprises:

13 a cell table to maintain data values and formulas used in the table; and  
14 a recalculation engine to recalculate the formulas following a change to a  
15 data value or formula in the cell table.  
16

17 75. (Withdrawn.) The architecture of claim 70, wherein the user interface  
18 presents multiple tables, and the spreadsheet functionality manager is  
19 configured to track references made from one table to another table.  
20  
21  
22  
23  
24  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

1 76. (Withdrawn.) The architecture of claim 70, wherein the user interface  
2 presents multiple tables, and the spreadsheet functionality manager is  
3 configured to maintain data and formulas for the multiple tables and track  
4 references made from one table to another table, the spreadsheet  
5 functionality manager being further configured to update any data and  
6 formulas in the multiple tables that is affected by a change made to one of  
7 the tables.

8  
9 77. (Withdrawn.) A computer readable medium having computer-executable  
10 instructions that, when executed on one or more processors, performs the  
11 following:  
12 present first and second tables; and  
13 create a reference from the first table to contents of the second table; and  
14 upon modification of the contents in the second table, update the first table.

15  
16 78. (Withdrawn.) The computer readable medium of claim 77, further  
17 comprising computer-executable instructions to overlay an entry field on a  
18 particular cell in the table to facilitate user entry of a formula into the  
19 particular cell.

20  
21 79. (Withdrawn.) The computer readable medium of claim 77, further  
22 comprising computer-executable instructions to present a free floating field  
23 and create a reference from the free floating field to one of the first and  
24 second tables.  
25

S/N 09/599,810

Response to Office Action Dated 12/22/2004

1  
2 80. (Withdrawn.) The computer readable medium of claim 77, further  
3 comprising computer-executable instructions to nest the first table within  
4 the second table.  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25